



CALCIUM SULFONATE HD 2 MSDS

SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name:	CALCIUM SULFONATE HD 2
Product Use:	Grease for Automotive and Industrial use.
Supplier:	Vertex Lubricants NZ
	22 Marphona Crescent
	Takanini 2105
	Phone: 09/640 0004
	Email: info@vertexlubricants.co.nz
Emergency Number:	0800 353 645
Chemical Nature:	Oil mineral, Zinc alkyl dithiophosphate Phosphoric acid esters, amine salt
Issue Date:	19 July 2024 and is valid for 5 years from this date.

SECTION 2 – HAZARDS IDENTIFICATION

HSNO Classification Not classified. This material is not classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

This material is not classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

GHS label elements	
Signal word	No signal word.
Hazard statements Precautionary statements	No known significant effects or critical hazards.
Prevention	Not applicable.
Response	Not applicable.
Storage	Not applicable.
Disposal	Not applicable.
Other hazards which do not result in classification	Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Substance/mixture: Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Ingredient name	% (w/w)	CAS number
Distillate (petroleum) hydrotreated heavy naphthenic	10-30	64742-52-5
Residual oil (petroleum), solvent deasphalted	1.0-5.0	6471-95-3
Calcium dodecylbenzene sulphonate	1.0-5.0	26264-06-2
2, 6-di-tert-Butyl-p-cresol	1.0-5.0	128-37-0
Other ingredients classified as non-hazardous	Balance	Various

The information contained in this Product Data Sheet is accurate at the time of printing and is subject to change without prior notice. [®] Vertex is a registered trademark of Lubricants NZ Ltd.





There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4 – FIRST AID MEASURES

Description of necessary first aid measures

Inhalation	If inhaled, remove to fresh air. In case of inhalation of decomposition products in a fire,
	symptoms may be delayed. The exposed person may need to be kept under medical
	surveillance for 48 hours. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical
	attention if symptoms occur.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove
	contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly
	before reuse. Get medical attention if symptoms occur. If skin irritation or rash occurs: Get
	medical advice/attention.
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
	Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and
	remove any contact lenses. Get medical attention.
Indication of immediate m	edical attention and special treatment needed, if necessary
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
	Note: High Pressure Applications Injections through the skin resulting from contact with
	the product at high pressure constitute a major medical emergency. Injuries may not
	appear serious at first but within a few hours tissue becomes swollen, discoloured and
	extremely painful with extensive subcutaneous necrosis.
	Surgical exploration should be undertaken without delay. Thorough and extensive
	debridement of the wound and underlying tissue is necessary to minimise tissue loss and
	prevent or limit permanent damage. Note that high pressure may force the product
	considerable distances along tissue planes.
Protection of first aiders	No action shall be taken involving any personal risk or without suitable training.

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing media

00	
Suitable	In case of fire, use water fog, alcohol resistant foam, dry chemical or carbon dioxide extinguisher or spray.
Not suitable	Do not use water jet.
Specific hazards arising	In a fire or if heated, a pressure increase will occur, and the container may burst.
from the chemical	
Hazardous combustion	Combustion products may include the following:
products	carbon oxides (CO, CO2) (carbon monoxide, carbon dioxide)
Hazchem code	Not available
Special precautions for	No action shall be taken involving any personal risk or without suitable training. Promptly
firefighters	isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Special protective	Fire-fighters should wear appropriate protective equipment and self-contained
equipment for fire-	breathing apparatus (SCBA) with a full face-piece operated in positive pressure
fighters	mode.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures



Oils // Grease // Coolant // Chemicals

Material Safety Data Sheet

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Floors may be slippery; use care to avoid falling. Put on appropriate personal protective equipment (see Section 8).
For emergency	If specialised clothing is required to deal with the spillage, take note of any information in
responders	Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
Environmental	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and
precautions	sewers. Inform the relevant authorities if the product has caused environmental pollution
	(sewers, waterways, soil or air).
Methods and material for	containment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). If emergency personnel are unavailable, contain spilt material. Suction or scoop the spill into appropriate disposal or recycling vessels, then cover spill area with oil absorbent. Dispose of via a licensed waste disposal contractor.

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling	Put on appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Not suitable	Prolonged exposure to elevated temperature

SECTION 8 – EXPOSURE CONTROLS AND PEROSNAL PROTECTION

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Base oil - unspecified	NZ HSWA 2015 - GRWM 2016 (New
	Zealand).
	WES-STEL: 10 mg/m ³ 15 minutes. Issued/ Revised:
	9/2010 Form: Mist
	WES-TWA: 5 mg/m ³ 8 hours. Issued/
	Revised: 6/2016 Form: Mist

Biological exposure indices

No exposure indices known

Vertex Lubricants



Oils // Grease // Coolant // Chemicals

Material Safety Data Sheet

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits. All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards. The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measured	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye protection Hand protection	Safety glasses with side shields. Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.
Skin protection	Use of protective clothing is good industrial practice. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions. Respiratory protection should conform to AS/NZS 1715 and AS/NZS 1716.



Material Safety Data Sheet

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance	
Physical state	Grease
Colour	Red
Odour	Not Available
рН	Not Available
Melting point/freezing	Not Available
point	
Boiling point, initial	Not Available
boiling	
point, and boiling range	
Drop Point	Not Available
Flash point	Open cup: >240°C (>464°F) [Cleveland
Auto-ignition	Not Available
temperature	
Vapour pressure	Not Available
Relative vapour density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 15°C
Solubility(ies)	Not Available
Particle characteristics -	Not Available
Median particle size	

SECTION 10 – STABILITY AND REACTIVITY

Chemical stability	The product is stable.
Possibility of hazardous	Under normal conditions of storage and use, hazardous reactions will not occur. Under
reactions	normal conditions of storage and use, hazardous polymerisation will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatible materials	Reactive or incompatible with the following materials: oxidising materials.
Hazardous decomposition	Under normal conditions of storage and use, hazardous decomposition products should
products	not be produced.

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Eye contact	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	No specific data.
Ingestion	No specific data.
Skin contact	No specific data.
Eye contact	No specific data.

Potential chronic health effects

General

No known significant effects or critical hazards.



Material Safety Data Sheet

Inhalation	Inhalation of oil mist or vapours at elevated temperatures may cause respiratory irritation.
Ingestion	Ingestion of large quantities may cause nausea and diarrhea.
Skin contact	Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/ or dermatitis.
Eye contact	Potential risk of transient stinging or redness if accidental eye contact occurs.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity

No known significant effects or critical hazards.

Persistence and degradability

Expected to be biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

Mobility in soil

Mobility	Spillages are unlikely to penetrate the soil.
Soil/water partition	Not available.
coefficient (KOC)	
Other ecological	This product is unlikely to disperse in water.
information	

SECTION 13 – DISPOSAL CONSIDERATION

Disposal methodsThe generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14 – TRANSPORT INFORMATION

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
New Zealand Class	Not regulated.	-	-	-		-
ADG Class	Not regulated.	-	-	-		-
IATA Class	Not regulated.	-	-	-		-



Material Safety Data Sheet

IMDG Class	Not regulated.	-	-	-		-	
PC*: Packing group							

PG*: Packing group

SECTION 15 – REGULATORY INFORMATION

New Zealand Regulatory Information

HSNO Approval Number	None assigned.
HSNO Group Standard	None assigned.
HSNO Classification	None assigned.

Regulation according to other foreign laws

REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.
United States inventory (TSCA 8b)	All components are active or exempted.
Australia inventory (AIIC)	All components are listed or exempted.
Canada inventory status	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (CSCL)	At least one component is not listed.
Korea inventory (KECI)	At least one component is not listed.
Philippines inventory	All components are listed or exempted.
(PICCS)	
Taiwan Chemical Substances Inventory (TCSI)	At least one component is not listed.

SECTION 16 – OTHER INFORMATION

Date of issue/Date of revision

19 July 2024

This MSDS contains only safety-related information. For other data see product literature.

MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

The information contained in this Product Data Sheet is accurate at the time of printing and is subject to change without prior notice. [®] Vertex is a registered trademark of Vertex Lubricants NZ Ltd.

Vertex Lubricants