



VERTEX GLASS CLEANER (AEROSOL) MSDS

SECTION 1 - IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| Product Name: | Vertex Glass Cleaner Aerosol |
|-------------------|---|
| Product Use: | Glass and Screen Cleaner Aerosol |
| Supplier: | Vertex Lubricants NZ |
| | 22 Marphona Crescent |
| | Takanini 2105 |
| | Phone: 09/640 0004 |
| | Email: info@vertexlubricants.co.nz |
| Emergency Number: | 0800 353 645 |
| Chemical Nature: | Ethanol Denatured, 2-Butoxyethanol, Ammonium Hydroxide, LPG (butane, propane) |
| Issue Date: | 5 September 2024 and is valid for 5 years from this date. |

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the product

Considered a hazardous substance according to the Hazardous Substance (Minimum Degrees of Hazard) Regulations NZ. Classified as a dangerous goods for transport purposes.

| GHS Classifications: |
|----------------------------|
| Aerosol Category 1 |
| Skin irritation Category 2 |
| Eye irritation Category 2 |

HSNO Classifications:

| 2.1.2A | Flammable aerosol |
|--------|------------------------|
| 6.3A | Irritating to the skin |
| 6.4A | Irritating to the eye |



Signal Words: Danger

Hazard Statements

- H222 Extremely flammable aerosol
- H229 Pressurised container: May burst if heated
- H315 May cause skin irritation
- H319 May cause serious eye irritation

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Ingredients | CAS No. | Proportion, % m/m |
|-----------------------|------------|-------------------|
| Ethanol Denatured | 64-17-5 | < 10 |
| 2-Butoxyethanol | 111-76-2 | < 10 |
| Ammonium Hydroxide | 1336-21-6 | < 1 |
| LPG (butane, propane) | 68476-85-7 | 10 - 30 |



Oils // Grease // Coolant // Chemicals



SECTION 4 – FIRST AID MEASURES

If medical advice is needed, have product container or label at hand.

If exposed or if you feel unwell: Call a POISON CENTRE or doctor.

| Ingestion: | Not considered a normal route of entry. IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. Where there is risk of vomiting, lean person forward or place on left side to avoid aspiration of product into lungs. Obtain immediate medical attention. |
|---------------|---|
| Eye contact: | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice. |
| Skin contact: | IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice. |
| Inhalation: | IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for |

breathing. If experiencing respiratory symptoms: Call a POISON CENTRE or doctor.

Notes to physician: Treat symptomatically and supportively. No specific antidote.

SECTION 5 – FIRE FIGHTING MEASURES

| General fire hazards: | Pressurised container, extremely flammable aerosol. |
|-----------------------------|--|
| Specific hazards: | Containers can build up pressure if exposed to heat and/or fire and may explode. Vapours may form an explosive mixture with air. Vapours can travel to a source of ignition and flash back. |
| Further advice: | On burning may emit toxic fumes including those of carbon monoxide and carbon dioxide. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion. |
| Extinguishing media: | Use water spray, fog, or foam. Use water spray to cool fire-exposed containers. Do not discharge extinguishing waters into the aquatic environment. Do NOT use straight streams of water. |
| Protective equipment: | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. |
| Fire fighting instructions: | In the event of fire, cool containers with water spray to prevent vapour pressure build up. Move containers from fire area if you can do so without risk. Runoff can cause environmental damage. |
| Hazchem Code: | 2YE |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Minor spills:Clean up all spills immediately. Remove all sources of ignition. If safe to do, damaged cans should be placed
in a container outdoors, away from all ignition sources, until pressure has dissipated. Undamaged cans
should be gathered and stowed safely. Provide ventilation. Wash with water.

Major spills:Evacuate the spill area. Call the Fire Brigade. Remove all sources of ignition. If safe to do so, prevent spillage
from entering drains or water courses. If material enters drains, advise emergency services. Use absorbent
(soil, sand or other inert material). Collect and seal in properly labelled containers for disposal.

SECTION 7 – HANDLING AND STORAGE

| Handling | Read product label before use. Keep out of reach of children. This product is highly flammable. Keep |
|--------------|---|
| Precautions: | away from heat and open flames/hot surfaces. No smoking. Do not use near an open flame or other |
| | ignition source. Use outdoors or in well-ventilated area. Avoid breathing vapour. Beware: Deliberately sniffing or inhaling concentrated contents can be harmful or fatal. Wash hands with soap and water after handling. Avoid release to the environment. |
| Storage: | Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Store in a well-ventilated, cool, dry place. Keep away from heat, sparks, and flame. Store locked up. |

www.vertexlubricants.co.nz





SECTION 8 – EXPOSURE CONTROLS AND PEROSNAL PROTECTION

Exposure Limits: No value assigned for product. Exposure standards for constituents (NZ WES);

| Material | TWA, mg/m ³ | STEL, mg/m ³ |
|-----------------------|------------------------|-------------------------|
| 2-Butoxyethanol | 121 | - |
| Ethanol Denatured | 1,890 | - |
| LPG (butane, propane) | 1,800 | - |

| Additional Information: | Wash hands before eating, drinking and smoking. |
|----------------------------|---|
| Engineering Controls | No controls required when handling small quantities. Use with adequate ventilation. Larger quantities: General exhaust is adequate under normal operating conditions. Exhaust ventilation should be designed to prevent accumulation and recirculation in the workplace. Ventilation equipment and lighting should be explosion-resistant. |
| Protective Equipment: | In an industrial environment: chemical protective gloves, safety glasses or chemical goggles are recommended. Wash contaminated clothing before reuse. In case of inadequate ventilation, wear respiratory protection. If TWA is exceeded, wear an approved respirator with a type A filter. |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

| Physical state: | Clear colourless liquid spray which foams. |
|----------------------------|--|
| pH: | About 9.0. |
| Vapour Density: | > 1 (Air =1) |
| Vapour Pressure, kPa: | 300 - 600 |
| Boiling Point, °C: | About 100 |
| Melting Point, °C: | Not applicable. |
| Specific Gravity: | About 0.95 |
| Flash Point, °C: | < 0 (propellant) |
| Explosion Limit, % v/v: | LEL 1.2% UEL 9.5% |
| Autoignition Temp, °C: | > 200 |
| Solubility: | Soluble in water. |

SECTION 10 – STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use. Not reactive. Avoid oxidisers. Avoid elevated temperatures.

SECTION 11 – TOXICOLOGICAL INFORMATION

| Basis for Assessment: | Information given is based on product testing, and/or similar products, and/or components. |
|--------------------------|--|
| Acute Oral Toxicity: | LD_{50} estimated to be> 5,000 mg/kg (based on component mixture, excluding propellant). |





| Acute Dermal Toxicity: | LD_{50} estimated to be > 5,000 mg/kg (based on component mixture, excluding propellant). |
|-------------------------------|---|
| Acute Inhalation Toxicity: | LC_{50} estimated to be > 20 mg/L, Rat 4 hour (based on component mixture). |
| Skin Irritation: | Prolonged/repeated contact may cause defatting of the skin and dermatitis. Avoid contact with skin. |
| Eye Irritation: | Spray is irritating to the eye. Expected to be reversible in 7 - 21 days. |
| Respiratory Irritation: | Inhalation of vapours or mists may cause irritation to the respiratory system. |
| Sensitisation: | Not expected to be a respiratory sensitiser. |
| Repeated Dose Toxicity: | Prolonged contact with product may result in irritant contact dermatitis. Avoid skin contact. |
| Mutagenicity: | Not expected to be mutagenic. |
| Carcinogenicity: | Not expected to be carcinogenic. |
| Reproductive toxicity: | Not expected to be toxic. |
| Additional Informatio | n: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens. |

SECTION 12 – ECOLOGICAL INFORMATION

| Ecotoxicity: | Ecotoxic in the aquatic environment. No environmental hazard is anticipated with small volumes of product. |
|--------------------------------|--|
| Mobility: | Not determined. |
| Persistence/ degradability: | Inherently biodegradable. |
| Bioaccumulation Potential: | Bioaccumulation not expected to occur. |

SECTION 13 – DISPOSAL CONSIDERATION

- Material Disposal: Product wastes should be disposed of in accordance with applicable regulations. Do not dispose into the environment, in drains or in water courses. Large quantities should be degassed by an aerosol recycler. Do not dispose of large quantities of pressurised aerosols in landfills. Incineration in an authorised facility is suggested.
- Container Disposal: Recycle empty container if possible. Product containers are also considered wastes of the same class of the contents and should be disposed of in accordance with applicable regulations.

SECTION 14 – TRANSPORT INFORMATION

| Transport: | Classified as a Dangerous Good for transport purposes. | |
|----------------------|--|--|
| | Class 2.1 should not be loaded on the same vehicle as Classes 1, 3 (where both are in bulk), 4, 5, and 7. They may be loaded with Classes 3, 6, 8, 9, foodstuffs and foodstuff empties. | |
| Proper Shipping Name | : Aerosols | |
| UN Number: | 1950 | |
| | | |





| Dangerous Goods Class: | 2.1 |
|-------------------------------|---|
| Transport Labels Required: | Class 2 Flammable (Land, Sea and Air), EHSM (Sea and Air) Land, Sea, Air |
| Subsidiary Risk: | Not applicable |
| Packing Group: | Not applicable |
| Marine Pollutant: | Yes |
| EMS Number | F-D, S-U (UN 1950 Flammable aerosols) |
| DG Segregation: | This product is classified as a Dangerous Goods. Consult the Land Transport Rule: Dangerous Goods |

2005, and NZS 5433:2012 Transport of Dangerous Goods on Land for information.

SECTION 15 – REGULATORY INFORMATION

| Inventory Listing | NZIOC (New Zealand Inventory of Chemicals); All components of this product are listed. |
|----------------------|--|
| SDS regulations | This Safety Data Sheet was prepared in accordance with the EPA Hazardous Substances (Safety Data Sheets) Notice July 2017. |
| EPA Approval Number: | HSR002515 Aerosols (Flammable) Group Standard 2020. |
| EPA Hsno Controls: | Refer to www.epa.govt.nz for information on Controls. This substance is to be managed using the conditions specified in an applicable Group Standard. |

SECTION 16 – OTHER INFORMATION

| Additional information: | Health Effects from Exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate. | | |
|----------------------------|--|---|--|
| Abbreviations | AICS | Australian Inventory of Chemical Substances | |
| | ADG | Australian Code for the Transport of Dangerous Goods by Road and Rail | |
| | CAS | Chemical Abstract Service number | |
| | EMS | Emergency Response Procedures for Ships Carrying Dangerous Goods | |
| | EPA | Environmental Protection Agency | |
| | GHS | Globally Harmonized System | |
| | IARC | International Agency for Research on Cancer | |
| | IATA | International Air Transport Association | |
| | IMDG | International Maritime Dangerous Goods | |
| | LC50 | Lethal Concentration, 50% / Median Lethal Concentration | |
| | LD50 | Lethal Dose, 50% / Median Lethal Dose | |
| | LEL | Lower Explosion Limit | |
| | mg/m³ | Milligrams per Cubic Metre | |
| | NZIoC | New Zealand Inventory of Chemicals | |
| | N.O.S. | Not otherwise specified | |
| | OEL | Occupational Exposure Limit | |

The information contained in this Product Data Sheet is accurate at the time of printing and is subject to change without prior notice. [®] Vertex is a registered trademark of Vertex Lubricants NZ Ltd.



Oils // Grease // Coolant // Chemicals



| PEL | Permissible Exposure Limit |
|---------|--|
| STEL | Short-Term Exposure Limit |
| STOT-RE | Specific target organ toxicity (repeated exposure) |
| STOT-SE | Specific target organ toxicity (single exposure) |
| TLV | Threshold Limit Value |
| TWA | Time Weighted Average |
| UEL | Upper Explosion Limit |

Date of issue/Date of revision

Current Version: 5 September 2024

This MSDS contains only safety-related information. For other data see product literature.

MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE,

THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.